



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

Below is a list of all ENERGY STAR qualified Residential Light Fixtures as of November 29, 2001. Use this list to help you find products that will save you energy and money. Take this list with you to your local retailer or distributor or look for products bearing the ENERGY STAR label.

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Brownlee Lighting	Brownlee Lighting	1020-13-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1040-13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1040-2X13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1050-13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1050-2X13-ES		Porch, garage, exterior entry. Ceiling- and wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1140-13-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	1140-22Q-ES		Porch, garage, exterior entry. Wall-mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-13-ES		Post mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-28Q-ES		Post mounted.	12/23/99
Brownlee Lighting	Brownlee Lighting	7050-42-ES		Post mounted.	12/23/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-13		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-18		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-26		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	DW-9		Halls, Walkways, Entries	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-13		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-18		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-26		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ECM-Q22		Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-13B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-26B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	EF-Q22B		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-104		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-26		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-39		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-5		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-52		Illuminates Signs	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FFL-78		Illuminates Signs	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	FL-13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FL-26		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FLM-13		Vandalproof Applications- Hallways, Walkways, Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FLM-18		Vandalproof Applications- Hallways, Walkways, Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	FLM-26		Vandalproof Applications- Hallways, Walkways, Entries, Corridors	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-13		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-9		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LL-Q22		Balconies, Patios, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ML-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	ML-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-14		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-7		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MV-Q13		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-13		Bath, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-9		Baths, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	OEL-Q22		Bath, Showers	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-5		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PAG-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-13		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-9		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-Q13		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PBL-Q22		Economical Exterior Use	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	PG-13		Parking Lots, Walkways, Pools	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PG-26		Parking Lots, Walkways, Pools	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	PT-13		Patios	04/29/99
CLI Fixtures, Inc.	CLI FIXTURES	PT-Q13		Patios	04/29/99
CLI Fixtures, Inc.	CLI FIXTURES	SPL-26		Carports, Driveways, Parking Areas	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SPL-Q22		Carports, Driveways, Parking Areas	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	SW-26		Theft Proof Exterior Fixture	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-13		Halls & Lobbies	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-18		Halls & Lobbies	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TL-26		Halls & Lobbies	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
CLI Fixtures, Inc.	CLI FIXTURES	TTP-7		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTP-9		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTP-Q13		Landscape	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VF-13		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VF-18		Vandalproof Applications	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VF-26		Vandalproof Applications	04/26/99
Catalina Lighting	Westinghouse	09-04-43414		Outdoor Lantern	01/27/99
Cooper Lighting	Lumark	LDL65FPC	70.26	65w Fluorescent Area Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LDL65FPCW	70.26	65w Fluorescent Area Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Lumark	LE70H	86.1	Medium Grade 70w HPS Security Light	07/27/01
Cooper Lighting	Lumark	LFE13PC	16.36	13w Fluorescent Entry Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LFNF26PC	30.69	26w Fluorescent Flood Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LFNF26PCW	30.69	26w Fluorescent Flood Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Lumark	LFW26PC	30.69	26w Fluorescent Wall Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LGT75	195.2	Industrial Grade Mercury Vapor Safety & Security Light w/ Photo Control	07/27/01
Cooper Lighting	Lumark	LMS185		180 deg. Die Cast Metal Floodlight, Bronze	07/27/01
Cooper Lighting	Lumark	LMS185R		180 deg. Die-Cast Metal Floodlight w/ Shields, Bronze	07/27/01
Cooper Lighting	Lumark	LMS185RW		180 deg. Die-Cast Metal Floodlight w/ Shields, White	07/27/01
Cooper Lighting	Lumark	LMS185W		180 deg. Metal Floodlight, White	07/27/01
Cooper Lighting	Lumark	LMS37		110 deg. Twin Floodlight, White	07/27/01
Cooper Lighting	Lumark	LW35HPC		35w HPS Wall Light w/ Photo Control (Bronze)	07/27/01
Cooper Lighting	Lumark	LW35HPCW		35w HPS Wall Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Regent	DL42FPC	47.3		05/07/01
Cooper Lighting	Regent	DL42FPCW	47.3		05/07/01
Cooper Lighting	Regent	DL65FPC	70.26		07/27/01
Cooper Lighting	Regent	DL65FPCW	70.26		07/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>	<u>Suggested Use</u>	<u>Date</u>
			<u>Watts</u>		<u>Added</u>
Cooper Lighting	Regent	E70H	86.1		07/27/01
Cooper Lighting	Regent	FE13PC	16.36		07/27/01
Cooper Lighting	Regent	FNF18PC	22.31		05/07/01
Cooper Lighting	Regent	FNF18PCW	22.31		05/07/01
Cooper Lighting	Regent	FNF26PC	30.69		05/07/01
Cooper Lighting	Regent	FNF26PCW	30.69		05/07/01
Cooper Lighting	Regent	FW26PC	30.69		05/07/01
Cooper Lighting	Regent	FW26PCW	30.69		05/07/01
Cooper Lighting	Regent	GT100H	116.5		05/07/01
Cooper Lighting	Regent	GT150H	173.9		05/07/01
Cooper Lighting	Regent	GT75	195.2		05/07/01
Cooper Lighting	Regent	MD70HB	86.1		05/07/01
Cooper Lighting	Regent	MD70HW	86.1		05/07/01
Cooper Lighting	Regent	W70HPCW	86.1		05/07/01
Cooper Lighting	Regent Lighting	DL52FPC		Garage	04/27/01
Cooper Lighting	Regent Lighting	DL52FPCW		Garage	01/31/00
Cooper Lighting	Regent Lighting	EL-13-F/PC		Porch.	11/30/99
Cooper Lighting	Regent Lighting	EL13FPCW		Porch.	11/30/99
Cooper Lighting	Regent Lighting	FF18PC		Ground	12/23/99
Cooper Lighting	Regent Lighting	FF26PC		Ground	12/23/99
Cooper Lighting	Regent Lighting	MS185		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185R		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185RW		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS185W		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS20		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS20W		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS237C		Porch	04/19/00
Cooper Lighting	Regent Lighting	MS26R		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS28RW		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS30		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS32W		Comer (eave), porch.	04/19/00
Cooper Lighting	Regent Lighting	MS35		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS37		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS550		Porch.	04/19/00
Cooper Lighting	Regent Lighting	MS550W		Porch.	04/19/00
Cooper Lighting	Regent Lighting	MS600		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	MS600W		Comer (eave), porch.	06/02/00
Cooper Lighting	Regent Lighting	MS80		Porch	01/29/00
Cooper Lighting	Regent Lighting	MS80W		Porch	01/29/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Cooper Lighting	Regent Lighting	MX1PIR		Comer (eave), porch	05/31/00
Cooper Lighting	Regent Lighting	MX1PIRW		Comer (eave), porch.	05/31/00
Cooper Lighting	Regent Lighting	W-22-F/PC		Porch.	11/30/99
Cooper Lighting	Regent Lighting	W-35-H/PC		Porch.	11/30/99
Cooper Lighting	Regent Lighting	W-35HPCW		Porch.	11/30/99
Cooper Lighting	Regent Lighting	W26FPC		Wall	12/23/99
Cooper Lighting	Regent Lighting	W26FPCW		Wall	12/23/99
Cooper Lighting	Regent Lighting	W52FPC		Wall	12/23/99
Cooper Lighting	Regent Lighting	W52FPCW		Wall	12/23/99
Enertron Technologies, Inc	Enertron	1500QL-PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	1600QL-PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	400100L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	40050L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	40070L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	500100L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	50050L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	50070L		Outdoor building. Wall- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7026 QL/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7800 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7800 QL/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	7900 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8026 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8800 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8800QL/PC		Garden, driveway, security. Wall- or ceiling- mounted.	11/30/99
Enertron Technologies, Inc	Enertron	8900 L/PC		Pool area, pathway, garage, deck area. Wall- or ceiling-mounted.	11/30/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Evergreen Lighting Inc.	Evergreen Lighting Inc.	19513		Outdoor.	11/30/99
Evergreen Lighting Inc.	Evergreen Lighting Inc.	19526		Outdoor.	12/23/99
Heath Zenith	Hampton Bay	248-490		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-493		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-494		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-518		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-519		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-522		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-523		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-526		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-527		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-551		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-552		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-553		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-559		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-560		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Hampton Bay	248-650		Outdoor wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4150-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4160-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4162-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4164-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4170-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-4174-XX		Outdoor, wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5408-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5411-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Heath Zenith	Heath Zenith	SL-5412-XX		Outdoor- wall or eave mount suitable for wet locations.	06/22/01
Heath Zenith	Heath Zenith	SL-5511-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5525-XX		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5610-XX		Outdoor- wall mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-5615-XX		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-5660		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-5670		outdoor, wall mount suitable for wet locations	08/25/00
Heath Zenith	Heath Zenith	SL-7001		Outdoor- wall or eave mount suitable for wet locations.	05/31/00
Heath Zenith	Heath Zenith	SL-9525-XX		OD/WM/CM/PC - Outdoor, wall mount suitable for wet locations	06/22/01
Light Process Company	Light Process Co.	LP126FD13QS HP photo		Landscape.	04/07/00
Magnaray International	Magnaray	E13PL	14	Porch, Eve, Garage, Conidor.	04/03/01
Magnaray International	Magnaray	E18PL	19.5	Porch, eve, comidor, garage	04/03/01
Magnaray International	Magnaray	E1PL13	14	Wall wash, landscape, security.	04/03/01
Magnaray International	Magnaray	E1PL18	19.5	Wall wash, landscape, security	04/03/01
Magnaray International	Magnaray	E1PL36	37	Wall wash, landscape, security	04/03/01
MaxLite SK America, Inc.	MaxLite	SKF18CL		Porch, garage.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF18EL	19	Porch, garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18OL		Porch, garage.	01/29/00
MaxLite SK America, Inc.	MaxLite	SKF18PAL	19	Porch, garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18PL	19	Porch, Garden	03/29/01
MaxLite SK America, Inc.	MaxLite	SKF18SH	19	porch, garden	03/29/01
Sea Gull Lighting Products Incorporated	SGLP	8909-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8910-10E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8914-01E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8919-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8919-15E			02/25/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Sea Gull Lighting Products Incorporated	SGLP	8923-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8923-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8924-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8924-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8925-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8925-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8927-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8927-15E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8954-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8955-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8964-12E			02/25/99
Sea Gull Lighting Products Incorporated	SGLP	8965-12E			02/25/99
Technical Consumer Products	Technical Consumer Products	1	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	55815BK		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	56532		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	57032WWPC		Any room.	04/19/00
Technical Consumer Products	Technical Consumer Products	6700-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	6700-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AL1042-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-13	13141.3	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826BLK-18	19	Porch and garage	07/30/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	AR0826BLK-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826HRC7-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-18	19	porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	AR0826MNK-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	AR0826PB-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	Ar0826HRC7-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X082901-1-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X082901-1-18	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X082901-1-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X082901-1-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X09011-2-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093001-1-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093001-1-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093001-1-18	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093001-1-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1A7-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-13	14	Porch and garage	07/30/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-14	15	Porch and garages	07/30/01
Technical Consumer Products	Technical Consumer Products	X093007-1NBZ-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093011-2-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093011-2-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093011-2-18	19	Porch and garage	08/03/01
Technical Consumer Products	Technical Consumer Products	X093011-2-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093104-2-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093104-2-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093104-2-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093104-2-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093107-1-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093107-1-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093107-1-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093207-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093207-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093207-18	19	porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093207-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093208-1-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093208-1-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093208-1-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X093208-1-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4A7-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-14	15	Porch and garage	07/30/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113401-4HRC2-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113801-3-13	14	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113801-3-14	15	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113801-3-18	19	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X113801-3-26	27	Porch and garage	07/30/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1HRC2-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120401-1MBK-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-14	15	Porch and garage	08/15/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1HRC2-26	27	Porch and garage	08/15/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120403-1MBK-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1HRC2-26	27	Porch and garage	07/31/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120404-1MBK-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1HRC2-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120405-1MBK-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120501-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120501-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120501-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120501-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120502-13	14	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120502-14	15	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120502-18	19	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120502-26	27	Porch and garage	07/31/01
Technical Consumer Products	Technical Consumer Products	X120503-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120503-14	15	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120503-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120503-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120504-13	14	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120504-14	15	Porch and garage	08/01/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120504-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120504-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120801-1-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120801-1-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120801-1-18	19	Porch and garage	08/15/01
Technical Consumer Products	Technical Consumer Products	X120801-1-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120802-1-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120802-1-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120802-1-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120802-1-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120803NU-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120803NU-14	2.6	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120803NU-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120803NU-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120804-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120804NU-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120804NU-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120804NU-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120805NU-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120805NU-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120805NU-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120805NU-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120806NU-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120806NU-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120806NU-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120806NU-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X120901-13	14	Porch and garage	08/01/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X120901-14	15	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120901-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120901-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120902-13	14	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120902-14		Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120902-14	15	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120902-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120902-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120903-13	14	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120903-14	15	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120903-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X120903-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X121501-13		Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X121501-14	15	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X121501-18	19	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X121501-26	27	Porch and garage	08/01/01
Technical Consumer Products	Technical Consumer Products	X121501-26	1561	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121502-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121502-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121502-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121502-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121503-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121503-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121503-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X121503-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122001-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122001-14	15	Porch and garage	08/02/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Technical Consumer Products	Technical Consumer Products	X122001-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122001-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122002-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122002-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122002-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122002-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122003-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122003-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122003-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122003-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122004-13	14	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122004-14	15	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122004-18	19	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122004-26	27	Porch and garage	08/02/01
Technical Consumer Products	Technical Consumer Products	X122021-14	15	Porch and garage	08/02/01
The Designers Edge	Designers Edge	L-1708	59.8	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1709	59.8	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1730	82.1	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1741-HPS	176	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1770-35	44.2	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1770-70	82.1	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1795	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1820-HPS	176	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1843 70HPS	82.1	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-1843-70MH	85	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2551		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2552		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2553		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2554		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2560		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2561		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2570		Porch Garage	06/06/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

OUTDOOR LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
The Designers Edge	Designers Edge	L-2571		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2572		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2573		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2574		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-2999		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-80	17.5	Porch, Garage	05/18/01
The Designers Edge	Designers Edge	L-84	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-86	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-87	17.5	Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-975		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-990		Porch Garage	06/06/01
The Designers Edge	Designers Edge	L-999		Porch Garage	06/06/01
The Designers Edge	The Designers Edge	L-992		Porch Garage	06/06/01
The Designers Edge	The Designers Edge	L-995		Porch Garage	06/06/01
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19113		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19226		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19513		Outdoor porch.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF19526		Outdoor porch.	04/07/00
USPAR Ent. Inc.	USPAR	WL-13PAC11P		Patios/Passages. Wall-mounted.	01/29/00
USPAR Ent. Inc.	USPAR	WL-13PAK13P		Patios/Passages. Wall-mounted.	01/29/00
USPAR Ent. Inc.	USPAR	WL-13PLAP		Patios/Passages. Wall-mounted.	01/29/00
Westerfield Co.	Westerfield Company	1700-PL22Q		Porch, garage, patio. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	3000W-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	7500W-PL13		Entrance, porch. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8000-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8100-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8200-PL13		Entrance. Wall-mounted.	04/07/00
Westerfield Co.	Westerfield Company	D8300-PL13		Entrance. Wall-mounted.	04/07/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.